SERIES #811 - LINEAR RECESSED WALL GRAZER

Multi-lamp, metal halide, recessed linear wall grazer with nominal 4" wide aperture, parabolic baffle, flangeless trim and borosilicate supertex spread lens.

811-MR16MH-PH

TYPE:

JOB:

SPECIFIER:

SPECIFICATIONS

HOUSING - Precision die-formed heavy gauge aluminum with welded end plates and ultrim plaster frame.

MOUNTING - Recessed in sheetrock ceiling. **ELECTRICAL -** Fixture comes with 10' whip of 12 Ga. wire for connection to junction box. Integral electronic ballast 120v input, (220v, 240v, 277v available).

LAMP - MR16MH - supplied by others.

LABELS - UL, C-UL, Damp location.

APPLICATIONS


SOCKET - Precision die-formed aluminum socket plate. GX10 ceramic socket with high temperature, silicone coated lead wires.

LENS - Supertex borosilicate glass. Others available consult factory.

TRIM - Extruded aluminum side rails with extruded aluminum parabolic baffles.

FINISH - Black powder paint housing (standard). Aperture trim available in black and white as standard. 14 additional colors and RAL palette available. Consult factory for custom finishes.

Medium aperture wall grazer used in ceiling heights up to 20' to highlight the texture in surfaces such as stucco or brick, illuminate flat surfaces such as venetian plaster, fabric or wood, or specular surfaces such as polished stone or stainless steel.



REFLECTED PLAN VIEW

ORDERING INFORMATION

HOUSING	LENGTH	LAMP SPACING	BALLAST	LOUVER FINISH	APERTURE LENS
811-MR16MH-PH			WATTS/VOLTS		
Plaster Housing	Specify exact length.	4 = 4" 6 = 6" or custom spacing	20/120 39/120 20/220 39/220 20/240 39/240 20/277 39/277	WHT = White BLK = Black PXX = SLI Color XXX = RAL Color CST = Custom	92A = Supertex* 82A = Frosted Supertex *STANDARD

This information is provided as a specification aid. A submittal will be prepared by the manufacturer for approval prior to fabricating this product.



NOTE: These specifications subject to change without notice. **www.specialtylightingindustries.com** 1306 DORIS AVENUE, OCEAN, NJ 07712 USA 800.462.7812 732.517.0800 FAX 732.517.0971© 10/14