# SURFACE MOUNTED DEEP BAFFLE WALL GRAZING SYSTEM

Multi-lamp, solid state light engine, surface mounted deep baffle linear wall grazer, nominal 2.5" (64mm) wide aperture parabolic baffle and aperture lens. Narrow profile wall grazer used in low ceiling heights to highlight the texture in surfaces such as stucco or brick, illuminate flat surfaces such as venetian plaster, fabric or wood, or specular surfaces such as polished stone or stainless steel.

# **SPECIFICATIONS**

## HOUSING

· Extruded aluminum with seamless welded and ground end plates

## **MOUNTING**

· Surface mounted

## **ELECTRICAL**

- · Integral dimmable electronic driver with internal short circuit protection.
- 120v-277v primary, compatible with 0-10v dimmers.
- · Also available for 120v phase control and Lutron

### **LAMP**

• 2 watt LED 2" (50mm) o.c. supplied with fixture

### SOCKET

- Circuit board mounted to extruded aluminum heatsink
- · Inline connectors allow removal and replacement

#### LENS

· Acrylic diffusing lens. Others available consult factory

## TRIM

· Parabolic louver baffle


### **FINISH**


- · Housing available in white as standard
- · Louver available in black or white as standard
- Additional standard colors, RAL palette, custom finishes available

4 <sup>3</sup>/<sub>4</sub>" (121 MM)

## **LABELS**

• 🕵 , US tested to UL standards 1598, Damp location





# ORDERING INFORMATION

## REFLECTED PLAN VIEW

811DB-LED-SH	LENGTH	SOURCE / DRIVER	HOUSING / LOUVER	APERTURE LENS
		1	/	
Surface Mounted Housing 8 = 80 CRI 27 = 2700K 30 = 3000K 35 = 3500K	Specify exact length in increments of 12" (300 mm) Minimum 2' for integral driver	UN3 =120v-277v, 0-10v Dim. 9W/ft 600lm/ft (nom.) UN5 =120v-277v, 0-10v Dim. 12W/ft 700lm/ft (nom.) *Add L2, LTB for Lutron 2 wire, Lutron Fade-to-Black	WHT = White BLK= Black PA= Clear Aluminum PXX = SLI Color CST = Custom	79A = Veiling Acrylic 82A = Frosted Supertex
		L2 = 120v, Lutron Hi-lume 1% 2-wr LED driver 9W/ft 1100lm/ft (nom.) LTB =120-277v, Fade-to-Black Lutron Hi-lume 1% digital EcoSystem driver 12W/ft 700lm/ft (nom.)		



JOB:
SPECIFIER:
TYPE:
QUANTITY:
SIGNATURE:

